

USB to Serial RS232 Adapter 4-ports Part no.: UMC-104



- Port powered from USB port
- Four individual COM ports
- Compatible with most operating systems
- FTDI FT232BL processor
- Electrostatic protection
- Indication lights for all 4 COM ports

If you need four individual serial RS232 ports connected to your computer via one USB port then this 4-port USB to serial hub is what you need.

Once the drivers are installed it will create four individual virtual COM ports which will show up in your computer's Device Manager, each with its own COM port number. You can then use each port as if it was a single standard built-in COM port. The included driver software will let you change the COM port numbers and several other port settings such as baud rate, data bits and stop bits. This 4-port USB to serial adapter is designed with the high performance FTDI FT232RL processor chip and drivers which ensure compatibility with all versions of Windows, Linux and Mac and also supports the majority of serial devices on the market.

Each COM port has protection against static electricity for up to 15KV so you can use this unit with most laboratory, commercial and consumer products and applications without the need for additional electrical protection. For industrial applications and devices sensitive static electricity and high voltage spikes we recommend using one of our optically isolated USB to serial adapters.

NORDFIELD

Specialists in serial communication. With over 15 years of experience in the field we can solve most serial problems.

PRODUCTS

Large selection of Serial RS232, RS485 and RS422 converters, USB to Serial adapters, Isolators, Ethernet to Serial converters, Serial Repeaters, Wireless Serial modules, Serial Bluetooth adapters and Serial Port Cards.

TECHNICAL SUPPORT

To access technical support, please visit www.NordField.com where you will find:

- Latest drivers and updates
- Technical tips
- Documentation
- Configuration support
- and much more...
- Feel free to contact our technical
- support team at
- mail@usconverters.com

NordField

105 Stations West Drive Sedona, AZ 86336, USA www.NordField.com mail@NordField.com







Specifications

| SPECIFICATIONS | | |
|------------------------------|--|--|
| Model number | UMC-104 | |
| Recommended operating system | Windows 10 32/64, Windows 8 32/64, Windows 7 32/64, Vista 32/64, XP 32/64, Server 2003/8R2 32/64, 2000, ME, 98Se Linux 2.40 or higher Mac OS 9, OS X | |
| Baud rate | 300-921.600bps, auto detection | |
| Power | Port powered from USB port | |
| RS232 interface | DB9 male connector x 4 | |
| USB interface | Female type B | |
| Chipset | FT232RL | |
| Power on pin 9 | No | |
| Parity | None, Odd, Even, Mark, Space | |
| Data bits | 7, 8 | |
| Stop Bits | 1, 2 | |
| Flow Control | None, Xon/Xoff, Hardware | |
| Indication LEDs | TX, RX and Power | |
| Buffer size | 128/385 Bytes | |
| RS232 output power | 8.0VDC per port | |
| Serial signals | DCD, RXD, TXD, DTR, GND, DSR, RTS, CTS, RI | |
| USB signals | VCC, DATA+, DATA-, GND, FG | |
| Flow control | Automatic. No IRQ Conflicts, no IRQs, IO or DMA required | |
| Housing | Aluminum with plastic sides | |
| Current draw | Less than100mA | |
| ESD static protection | 15KV / 600W/ms | |
| Standards | EIA/TIA RS-232C, USB: v1.0, 1.1, 2.0 | |
| Operating humidity | 5% To 95% - No Condensation | |
| Operating Temp. | -10°C to 60°C | |
| Certifications | CE, FCC, RoHS | |
| Warranty | 2-year Limited Warranty | |
| ECCN | 4A994.a | |
| Schedule B | 8471.80.1000 | |
| HTS | 8517.18.0050 | |

NORDFIELD

Specialists in Serial Communication. With over 15 years of experience in the field we can solve most serial problems.

PRODUCTS

Large selection of Serial RS232, RS485 and RS422 converters, USB to Serial adapters, Isolators, Ethernet to Serial converters, Serial Repeaters, Wireless Serial modules, Serial Bluetooth adapters and Serial Port Cards.

TECHNICAL SUPPORT

To access technical support, please visit www.NordField.com where you will find:

- Latest drivers and updates
- Technical tips
- Documentation
- Configuration support
- and much more...

Feel free to contact our technical support team at:

mail@usconverters.com



105 Stations West Drive Sedona, AZ 86336, USA www.NordField.com mail@NordField.com




NordField Electronics

Connection table

| DB9 Male | RS232 |
|-------------|-------|
| 1 | DCD |
| 2 | RXD |
| 3 | TXD |
| 4 | DTR |
| 5 | GND |
| 6 | DSR |
| 7 | RTS |
| 8 | CTS |
| 9 | RI |

DB9 Male

Connection example:



Please download drivers and driver installation instructions for this product at:

www.Nordfield.com

NORDFIELD

Specialists in Serial Communication. With over 15 years of experience in the field we can solve most serial problems.

PRODUCTS

Large selection of Serial RS232, RS485 and RS422 converters, USB to Serial adapters, Isolators, Ethernet to Serial converters, Serial Repeaters, Wireless Serial modules, Serial Bluetooth adapters and Serial Port Cards.

TECHNICAL SUPPORT

To access technical support, please visit www.NordField.com where you will find:

- Latest drivers and updates
- Technical tips
- Documentation
- Configuration support
- and much more...
- Feel free to contact our technical
- support team at:
- mail@usconverters.com

NordField

Electronics 105 Stations West Drive Sedona, AZ 86336, USA www.NordField.com mail@NordField.com