


Firmware Upgrade


Step 1 : Please install IP Search tools (IPSearch.exe) at first.

Step 2 : Copy new firmware to C:\BF-430.

Step 3 : Run IP Search and operation step by step as following pictures



【Picture 01】



【Picture 02】

BF450M IP Auto Search System

NO	Device Name	Device Location	Device Model	IP Address	Submask	MAC Address
1			TCP/IP Converter	192.168.0.125	255.255.255.0	00 0E E3 00 00 01

1. Double click to enter BF-430 setting web

IP Address : . . .

SubMask : . . .

Alter

Refresh

End

【Picture 03】

Connect to 192.168.0.125

User name:

Password:


☐ Remember my password

OK Cancel


1. Enter User name and Password
Default :
User name : admin
Password : admin

2. Click OK to enter setting web


【Picture 04】




【Picture 05】




【Picture 06】




【Picture 07】




【Picture 08】




【Picture 09】




【Picture 10】




【Picture 11】



【Picture 12】



【Picture 13】



【Picture 14】

CHIYU Serial To Ethernet Converter - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Media

Address http://192.168.0.126/ Go Links

BF-430

Main Menu

- One Page Setup

Advanced Setup

- Operation Mode
- Serial Type
- Dynamic DNS

Management

- Device Admin
- System Status
- Backup & Restore
- Upgrade Firmware
- Ping

Device Administration Setting

Block Standard Http Port(80) Management	<input checked="" type="radio"/> UNBLOCK <input type="radio"/> BLOCK	APPLY
Device Management IP Address	192 . 168 . 200 . 200	
Device Hostname		
Device Location		
Administrator Password	User Name Password Change Password Confirm	APPLY
Block Ping Request	<input checked="" type="radio"/> UNBLOCK <input type="radio"/> BLOCK	APPLY
MAC Address Change	00 : 00 : 00 : 00 : 00 : 00	APPLY
Reset System to Factory Default	FACTORY DEFAULT	
Reboot System	REBOOT	

1. Click Device Admin

2. Click FACTORY DEFAULT

Done Internet